
















Harriot 40


Pos	Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especification Harriot 40	Qty	Profile (mm)	Lenght (mm)
001		1	40x57	1865
002		1	40x57	525
003		16	40x114	525
004		16	40x114	525
005		16	40x114	525
006		1	40x114	4000
007		22	40x114	4000
008		1	40x51	4000
009		1	40x57	4000
010		1	40x114	4000
011		38	40x114	2000
WA-1		1		
WB-1		1		
F2	FOUNDATION-FUNDAMENT-FONDATION-FONDAZIONE-VIGAS DE CIMENTACIÓN 	2	70x44	3790
F1	FOUNDATION-FUNDAMENT-FONDATION-FONDAZIONE-VIGAS DE CIMENTACIÓN 	8	70x44	1650
CS1	CORNICE SUPPORT-TRAGELEISTE-STEUNEN BAR-SUPPORT-SUPPORTO-SOPORTE 	2	44x70	200
PL1	PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA 	1	44x144	4000
	Roof board-Dachbrett-Dakplank-Volige-Tavola tetto-Tabla de tejado 	46 36	88x20 114x20	2200
	Floor board-Fussbodenbrett-Vloerplank-Lame de plancher-Tavola pavimento-Tabla de suelo 	20+1 16+1	88x20 114x20	3700
CO-1	Cornice 20x250-Gesimse-Kroonlijst-Corniche-Cornicione-Cornisa 	2	20x250	2216
CO-2	Cornice 20x250-Gesimse-Kroonlijst-Corniche-Cornicione-Cornisa 	2	20x250	4040
	Floor beading 3000-Fussbodenleiste-Plinten-Moulure de finition-Listello pavimento-Liston de suelo 	4	18x40	12rmt.
	Nail 1.8x40-Nagel-Spijker-Clou-Chiodo-Clavo 	460	1.8x40	

Kood Harriot 40	Materjal	File Harriot 40.dwg	Leht 1/2

Pos	Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especification Harriot 40	Qty	Profile (mm)	Lenght (mm)
S5x90	Screw 5x90-Schraube-Schroef-Vis-Vite-Tornillo 	4	5x90	
S6x120	Screw 6x120-Schraube-Schroef-Vis-Vite-Tornillo 	20	6x120	
SS-1	Storm slat kit-Sturmleiste satz-Stormanker set-Kit de latte anti tempéte-Kit listello di tempesta-Kit liston anti tormenta 	3	18x40	2000
	WINDOW 800x1850 W08DK H 800x1850-40 R ISO 6 TEMPERED CREMONE BLACK 	1		
	DOOR 1600x1900 DD08 F 1600x1900-40 ISO 6 TEMPERED CREMONE BLACK 	1		


Kood Harriot 40	Materjal	File Harriot 40.dwg	Leht 2/2

H = 1.700 m
TOTAL: 6.40 m2



0 0.5m 1.0m 2.0m


Model	Harriot 40	Page	
Drawing	PLAN	Scale	1:30
Material	40x114	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T




0 0.5m 1.0m 2.0m


Model	Harriot 40	Page	
Drawing	ROOF	Scale	1:30
Material	40x114	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T

1. 1 Screw Per Joint
Pre-Drill First! Drill ∅6mm




2. 2 Nails Per Board at all Junctions






0 0.5m 1.0m 2.0m

Model	Harriot 40	Page	
Drawing	FOUNDATION	Scale	1:30
Material	40x114	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T




0 0.5m 1.0m 2.0m

Model	Harriot 40	Page	5
Drawing	WALL 1	Scale	1:30
Material	4x11.4	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T




0 0.5m 1.0m 2.0m

Model	Harriot 40	Page	6
Drawing	WALL 2	Scale	1:30
Material	4x11.4	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T




0 0.5m 1.0m 2.0m


Model	Harriot 40	Page	3
Drawing	WALL A	Scale	1:30
Material	4x11.4	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T





0 0.5m 1.0m 2.0m


Model	Harriot 40	Page	4
Drawing	WALL B	Scale	1:30
Material	4x11.4	Date	04.10.2023
File	Harriot 40.dwg	Drawn by	T.T




















ADJUSTABLE HINGES





3.




1.











2.

OPTIONS




OPTIONS




4.


FR


The guide is illustrative. This guide is not project specification.
Der Leitfaden ist illustrativ. Dieser Leitfaden ist keine Projektspezifikation.
De gids is illustratief. Deze gids is geen projectspecificatie.






OPTIONS







OPTIONS- STORM BRACES

