

CE 2531-22

grandhall®
australian bbq style


gas barbecue



Maxim G5IB



Maxim G5SB-V



Maxim G5 CART CT5S-V

IE GB Assembly instructions
CH FR Instructions d'assemblage
AT CH DE Montageanweisungen
CH IT Istruzioni per il montaggio
BE NL Montage-instructies
SE Montering
FI Kokoamisohjeet
ES Instrucciones de armado
PT Instruções para Montagem
DK Monteringsvejledning
NO Montering
HR Upute za montažu
SI Navodila za montažo


PART LIST Maxim G5IB

Ref	Description	Part No.	Qty
1	Lid Assembly	S0209-01Z-SPP	1
2	Temperature Gauge	S0214-26	1
3	Name plate	S0146-227	1
4	Lid Rubber Pad, Front	S0128-35	2
5	Lid Rubber Pad, Rear	S0146-158	2
7	Bowl Panel, Left	S0220-16	1
8	Bowl Panel, Right	S0228-09	1
9A	Bowl Grease Shield	S0211-25A	1
9B	Bowl Grease Shield	S0211-25B	1
11	Heat Shield- Rear Burner	S0147-107	1
12	Cooking Grid	S0146-57C	3
13	Bowl Wind Shield	S0147-37B-SPP07	1
14	Gas Collector Box with Electrode	S0146-81	4
15	Electric Wire Set	S0228-08	1Set
16	Main Burner	S0221-15	5
17	Bowl Panel, Front	S0228-01	1
18	Bowl Panel, Rear	S0228-02	1
19	Upper control Panel	S0228-04	1
20	Control Panel	S0228-05	1
21	Gas Valve Heat Shield	S0228-06	1
22	Main Valve-without jet	S0227-11	5
23	Manifold	S0228-07	1
24	Gas Valve Heat Shield Bracket	S0146-40-ZN12	2
25	Control knob - main burner	S0164-20	5
26	Knob Seat	S0174-12	6
27	Control knob - Back burner	S0165-10	1
28	Electric Ignitor	M0126-65	1
29	Grease Tray Handle	S0147-42	1
31	Grease Tray	S0206-09-ZN06	1
32	Hotplate	S0146-183	1
34	Electrode- Rear Burner	S0003-54	1
35	Warming Rack	S0147-56B	1
36	Crossfire box	S0146-204Z	4
37	Bowl support bracket- Left	S0147-102B	1
38	Bowl support bracket- Right	S0147-102A	1
39	Bowl support bracket- Rear	S0228-03	1
40	Flame Tamer	S0146-50	4
45	Searing Valve Orifice	S0146-228	1
48	Adaptor-1/4 LH inlet	S0146-197	1
50	Valve - Rear Burner- without jet	S0146-228	1
51	Rear Burner Body Set	S0089-55	1
52	Wind Shield - Rear Burner	M0126-56-S430	1
53	Rear Burner hose	S0146-229	1
54	Adaptor-1/4 LH inlet	S0118-78	1

Maxim G5IB Model

This diagram is provided to assist you identify parts if replacement is necessary. Contact your place of purchase or the manufacturer to inquire about parts, availability and service.

Items included in your barbecue specification may differ from the parts list,depending on region or specific dealer specification.




PART LIST Maxim G5SB-V

Ref	Description	Part No.	Qty
1	Lid Assembly	S0147-29Z	1
2	Temperature Gauge	S0209-16	1
3	Name plate	S0146-227	1
4	Lid Rubber Pad, Front	S0128-35	2
5	Lid Rubber Pad, Rear	S0202-18	2
7	Bowl Panel, Left	S0220-16	1
8	Bowl Panel, Right	S0228-09	1
9A	Bowl Grease Shield	S0211-25A	1
9B	Bowl Grease Shield	S0211-25B	1
10	Burner Bracket-Side Burner	S0149-46-CR	1
11	Heat Shield- Rear Burner	S0147-107	1
12	Cooking Grid	S0146-57C	3
13	Bowl Wind Shield	S0147-37B-SPP	1
14	Gas Collector Box with Electrode	S0146-81	4
15	Electric Wire Set	S0228-08	1Set
16	Main Burner	S0221-15	5
17	Bowl Panel, Front	S0228-01	1
18	Bowl Panel, Rear	S0228-02	1
19	Upper control Panel	S0228-04	1
20	Control Panel	S0228-05	1
21	Gas Valve Heat Shield	S0228-06	1
22	Main Valve-without jet	S0227-11	4
23	Manifold	S0228-07	1
24	Gas Valve Heat Shield Bracket	S0146-40-ZN	2
25	Control knob - main burner	S0164-20	5
26	Knob Seat	S0174-12	6
27	Control knob - Back burner	S0174-12	1
28	Electric Ignitor	M0126-65	1
29	Grease Tray Handle	S0147-42	1
31	Grease Tray	S0206-09-CR06	1
32	Hotplate	S0146-183	1
33	Side burner hose bracket	S0146-207	2
34	Electrode- Rear Burner	S0003-56	1
35	Warming Rack	S0147-56B	1
36	Crossfire box	S0148-203	4
37	Side Burner Hose	S0146-226	1
38	Side Shelf Lid	S0149-21-S430	1
39	Side Shelf Pot Support	S0153-03	1
40	Side Shelf, Left	S0200-01-S430	1
41	Side Burner Mounting Brakcet	S0167-60	1
42	Side Burner	S0210-03	1
43	Electrode- Side Burner	S0205-42	1
44	Side Shelf Body	S0149-22-SPP	1
45	Rear Burner Valve Orifice	S0146-228	1
46	Control Knob - side burner	S0150-18	1
47	Valve- Side Burner	S0210-02	1
48	Adaptor-1/4 LH inlet	S0165-09	1
49	Side Shelf Trim Plate	S0200-02-S430	1
51	Rear Burner Body Set	S00089-55	1
52	Wind Shield - Rear Burner	M0126-56-S430	1
53	Rear Burner hose	S0227-01	1
54	Cart Bracket, Front	S0147-06-CR	1
55	Trolley Panel, Left	S0155-43	1
56	Trolley Panel, Right	S0155-44	1
57	Door guide - upper	S0147-10B-CR	1
58	Door guide - lower	S0147-10-CR	1
59	Magnet seat	S0003-05E	4
60a	2"caster (without Brake)	S0146-218	2
60b	2"caster (with Brake)	S0146-217	2
61	Door-Left	S0147-07AZ	1
62	Gas cylinder housing	S0118-61A-CR	1
63	Trolley Bottom Panel	S0147-01E-CR	1
64	Trolley Panel, Rear	S0147-04B-CR	1
65	Door-Right	S0147-07BZ	1
66	Strengthen bracket -left	S0200-03	1
67	Strengthen bracket- right	S0200-04	1
70	Rear Burner Heat Shield	S0146-228	1
77A	Front decoration panel-Left	S0204-47-CR	1
77A	Front decoration panel-Right	S0205-48-CR	1
78	Universal Hose Bar -1/4 LH inlet	S0118-78	1
79	Flame Tamer	S0146-50	4
80	Tool hook	S0172 - 45	4
	Hardware Pack	KHWP0027	1

Maxim G5SB-V Model

This diagram is provided to assist you identify parts if replacement is necessary. Contact your place of purchase or the manufacturer to inquire about parts, availability and service.


Items included in your barbecue specification may differ from the parts list,depending on region or specific dealer specification.



Maxim G5 CART CT5S-V Model

This diagram is provided to assist you identify parts if replacement is necessary. Contact your place of purchase or the manufacturer to inquire about parts, availability and service.

Items included in your barbecue specification may differ from the parts list,depending on region or specific dealer specification.




PART LIST Maxim G5 CART CT5S-V

Ref	*Description*	*Part No.*	*Qty*
10	Burner Bracket-Side Burner	S0149-46-CR	1
33	Side burner hose	S0146-207	2
37	Quick connect with hose, male	S0146-226	1
38	Side Shelf Lid	S0208-06	1
39	Side Shelf Pot Support	S0153-03	1
40	Side Shelf, Left	S0200-01-S430	1
41	Side Burner Mounting Brakcet	S0167-60	1
42	Side Burner	S0210-03	1
43	Electrode- Side Burner	S0205-42	1
44	Side Shelf Body	S0149-22-SPP	1
46	Control Knob - side burner	S0150-18	1
47	Valve- Side Burner	S0210-02	1
48	Adaptor-1/4 LH inlet	S0165-09	1
49	Side Shelf Trim Plate	S0200-02-S430	1
54	Cart Bracket, Front	S0147-06-CR	1
55	Trolley Panel, Left	S0155-43	1

Ref	*Description*	*Part No.*	*Qty*
56	Trolley Panel, Right	S0155-44	1
57	Door guide - upper	S0147-10B-CR	1
58	Door guide - lower	S0147-10-CR	1
59	Magnet seat	S0003-05E	4
60a	2"caster (without Brake)	S0146-218	2
60b	2"caster (with Brake)	S0146-217	2
61	Door-Left	S0147-07AZ	1
62	Gas cylinder housing	S0118-61A-CR	1
63	Trolley Bottom Panel	S0147-01E-CR	1
64	Trolley Panel, Rear	S0147-04B-CR	1
65	Door-Right	S0147-07BZ	1
66	Strengthen bracket -left	S0200-03	1
67	Strengthen bracket- right	S0200-04	1
77A	Front decoration panel-Left	S0204-47-CR	1
77B	Front decoration panel-Right	S0205-48-CR	1
80	Tool hook	S0172 - 45	4
	Hardware Pack	KHWP0033	1

INJECTOR




•Main	1.00 mm	– I 3+ (28-30/37)
		– I 3B/P (30)
	0 90 mm	– I 3B/P (50)
•Side Side	0.83 mm	– I 3+ (28-30/37)
		– I 3B/P (30)
	0.78 mm	– I 3B/P (50)
•Back	1.0 mm	– I 3+ (28-30/37)
		– I 3B/P (30)
	0.9 mm	– I 3B/P (50)
•Sear Side	1.03 mm	– I 3+ (28-30/37)
		– I 3B/P (30)
	0.93 mm	– I 3B/P (50)


INPUT

•Main	5 burner	17.5 kW	– 1272 grams / h
•Side		3.3 kW	– 239 grams / h
•Back		4.3 kW	– 312 grams / h
•Sear		4.6 kW	– 334 grams / h

DIMENSIONS




Maxim G5IB



Maxim G5SB-V


WARNINGS INFORMATION

- ***MINIMUM CLEARANCES FROM COMBUSTIBLE MATERIALS MUST BE:***
  REAR - 450 mm
  SIDES - 250 mm
  TOP - 1000 mm




ASSEMBLY - *Maxim G5SB-V*


1. Install Trolley Side Panels onto Trolley Bottom Shelf




Phillips Head Screw 1/4"x1/2"
Qty.4




2. Install Casters



Spanner
Qty.1




3. Install Trolley Rear Panel




Phillips Head Screw 3/16"x 3/8"
Qty. 4



Flange Nut 3/16"
Qty.4




4. Install Door Bracket




Phillips Head Screw 3/16"x 3/8"
Qty.2




Flange Nut 3/16"
Qty.2




5. Install Door Stop Plate

① 

Countersunk Flat Head Screw 3/16"x3/8"
Qty.2


② 


Phillips Head Screw3/16" x 3/8"
Qty.2



6. Install Door


Note: To properly install the door, please ensure
a): The hinge is in position
b): The door is align with the hinge for proper fitting






7. Install The Barbecue head to the trolley


- Note:Installation requires two persons Remove all componets from the barbecue head.
- Partially install the screws to the underside of the barbecue
- Locate the screw head into the keyholes on the top face of the trolly side panels,slide back to lock into posilion,tighten screws.




Phillips Head Screw 1/4"x1/2"
Qty.4




8. Install Strengthen bracket -Left/ Right/ Front decoration panel-Left & Right.



Phillips Head Screw：3/16"x3/8"
Qty.10




Side Shelf ,Left




Side Burner


9 Install Side Burner.




Phillips Head Screw 1/4"x1/2"
Qty.2



Phillips Head Screw：3/16"x1/2"
Qty.2




Phillips Head Screw：3/16"x3/8"
Qty.2




Pre-install the screws partially on the BBQ bowl side panel (Do not tighten to the end).

1


Slide the side burner kit into the pre-installed screws.




2



3




4




Open the lid and tighten up the screws from the opening holes.


10 Install Side Shelf.



Phillips Head Screw 1/4"x1/2"
Qty.2





Phillips Head Screw：3/16"x1/2"
Qty.2




Phillips Head Screw：3/16"x3/8"
Qty.2


Pre-install the screws partially on the BBQ bowl side panel (Do not tighten to the end).






Slide the side shelf kit into the pre-installed screws.






11 Install Tool hooks.




Tool Hood : M5
Qty.4



Flange Nut : M5
Qty.4




NOTE:TIGHTEN ALL SCREWS.




Note: If the top of the doors don't line up, adjustment may be made by adjusting the casters. Slightly unscrew one of the front casters and note the movement in the top of the doors. If the alignment become worse, screw back the caster and adjust the caster on the other side. The diagonally opposite casters may also be used if extra adjustment is required. Re-adjustment may be required if the barbecue is shifted to a different location.

12. Connect Side Burner Hose and install Regulator




13. Install Gas cylinder seat and Gas Cylinder



WARNINGS INFORMATION

GB DO NOT OBSTRUCT THE VENTILATION OPENINGS IN THE TROLLEY.	NL DE VENTILATIEOPENINGEN IN DE TROLLEY NIET BLOKKEREN.	PT NÃO OBSTRUA AS ABERTURAS DE VENTILAÇÃO NO TRÓLEI.
FR NE PAS BOUCHER LES OUVERTURES DE VENTILATION DANS LE CHARIOT.	SE BLOCKERA EJ VENTILATIONSHÅLEN I GRILLBAREN.	DK VENTILATIONSÅBNINGEN I TROLLEYEN MÅ IKKE SPÆRRES.
DE NICHT DIE VENTILATIONSÖFFNUNGEN IM WAGEN BLOCKIEREN.	FI KÄRRYN TUULETUSAUKKOJA EI SAA PEITTÄÄ.	NO VENTILASJONSÅPNINGENE PÅ TRALLEN MÅ IKKE TILDEKKES.
IT NON OSTRUIRE LE APERTURE DI VENTILAZIONE DEL CARRELLO.	ES NO OBSTRUYA LAS ABERTURAS DE VENTILACIÓN DEL CARRITO.	HR NE BLOKIRAJTE OTVORE VENTILACIJE U KOLICIMA.
SI NE OVIRAJTE PREZRAČEVALNE ODPRTINE V VOZIČKU.		


1. Install the Trim brackets Left and Right & Rear




Phillips Head Screw
1/4" X 3/8"
Qty. 4




Flange Nut : 1/4"
Qty.4




Countersunk Flat Head Screw
1/4" X 3/8"
Qty. 4




Countersunk Flat Head Screw
3/16" X 3/8"
Qty. 2




2. Regulator and Install the grill onto the housing .




MOUNTING CUT - OUT



IGNITION BATTERY




SIDE BURNER POTS





COOKING COMPONENT INSTALLATION

Maxim G4IB




TEMPERATURE GAUGE






COOKING WITH HOOD OPEN



COOKING WITH HOOD DOWN

Please do not cook always with just 2 burners with hood closed. You only must not do it longer than 10 minutes if the heat goes to long over 250C.



grandhall®
australian bbq style

The OLD Com B.V.
Tolstraat 17A
7482 DC Haaksbergen
The Netherlands
T: +31 (0) 53 231 3010

grandhall@grandhall.eu

(IE) (GB) **NOTE:** This information is a guide only. Items included in your BBQ specification may differ depending on region or specific dealer specification.

All specifications are subject to change without notice.

(CH) (FR) **NOTE:** Ces renseignements sont donnés à titre indicatif. Il est possible que les articles inclus dans les spécifications de votre barbecue diffèrent selon la région ou les caractéristiques stipulées par le concessionnaire.

Toutes les caractéristiques sont susceptibles d'être modifiées sans préavis.

(AT) (CH) (DE) **ANMERKUNG:** Diese Anleitung dient nur zu Informationszwecken. Einzelteile der Grillspezifikation sind unter Umständen verschieden entsprechend der Vertriebsregion oder bestimmten Händleranforderungen.

Änderungen ohne vorherige Bekanntgabe vorbehalten.

(CH) (IT) **AVVERTENZA:** Queste informazioni hanno il valore di guida soltanto. Gli articoli compresi nelle caratteristiche tecniche del barbecue potrebbero variare a seconda della regione o del concessionario.

Tutti i dati tecnici possono cambiare senza preavviso.

(BE) (NL) **ATTENTIE:** Deze informatie is alleen bedoeld als gids. Onderdelen in uw BBQ specificatie en pakket kunnen per regio of per dealer verschillen.

Alle specificaties kunnen zonder voorafgaande kennisgeving worden gewijzigd.

(SE) **ANM.:** Denna information är endast avsedd som handledning. Specifikationerna för grillen kan variera regionalt eller beroende på de krav som olika återförsäljare har.

Kaikki oikeudet teknisten tietojen muutoksiin pidätetään.

(FI) **HUOMATKAA:** Nämä tiedot ovat pelkästään suuntaa antavia. Ostamanne grillin yksityiskohdat voivat olla erilaiset paikkakunnan tai erityisten myyjäkohtaisten yksiyiskohtien mukaan.

Kaikki yksityiskohdat voivat muuttua ilman, etta niistä erikseen ilmoitetaan.

(ES) **NOTA:** Esta información es una guía únicamente. Es posible que las indicaciones incluidas en las especificaciones de su Asador sean diferentes según la región o las especificaciones especificas del representante.

Todas las especificaciones están sujetas a cambios sin previo aviso.

(PT) **NOTA:** Esta informação é simplesmente um guia. Os itens incluídos na especificação do seu BBQ poderão diferir dependendo da especificação da região ou do vendedor específico.

Todas as especificações estão sujeitas a alteração sem aviso.

(DK) **NB:** Denne information er kun vejledende. Specifikationer kan variere efter ønske fra forhandler, eller i henhold til nationale regler.

Moguće su promjene bez prethodnih najava.

(NO) **NB:** Denne informasjon er kun veiledende. Spesifikasjoner kan variere som stipulert av forhandler, eller i henhold til nasjonale krav.

Možne so spremembe brez predhodnih najav.

(HR) **UPOZORENJE:** Ova uputa služi samo u informativne svrhe. Pojedini dijelovi specifikacie roštilja su različiti od onih koji su propisani Vašim mjestom boravka ili koje su propisali razn distributeri i ovlaštenici za plinske roštilje.

(SI) **OPOZORILO:** Ta navodila so samo informativne narave. Posamezni deli iz specifikacije žara so lahko različni od tistih, kateri so predpisani v vaši regiji ali li katere so predpisali distributerji in pooblaščeni zastopniki za plinske žare.

Manufactured by
Zhuhai Prokan Relaxation Equipment Co., Ltd.
Jinfa Industrial Area Of Jinding Town, Zhuai, Guangdong, China

PK00022022DE 02 / 2022