

La Sommelière



LSBU51DB2

Wine Cellar service

Built-under counter

GENERAL INFORMATION

Number of bottles : 51
Number of zones : 2
Adjustable temperature range : 5-20°C
Noise level : 36dB
Energy class : F
Climate class : SN/ST (10-38)
Vinotag compatible : Yes

Product description

DESIGN AND ELEGANCE

Built-in under a counter, the LSBU51DB2 fits elegantly into your kitchen and easily thanks to its standard 60cm unit format. Protected by a tempered glass door with anti-UV treatment, your bottles are visible and enhanced by interior LED lighting. The full glazed door and its removable plinth guarantee perfect integration.

TO THE NEAREST DEGREE

Bring your wines to tasting temperature to take full advantage of all their aromas. Thanks to its 2 temperature zones with independent adjustment, you can bring several types of wine to tasting temperature in the same cabinet. Equipped with an active carbon filter, the LSBU51DB2 provides an interior filtration and aeration system to guarantee a healthy environment for your wines (FILTER4).

SILENCE & LOW CONSUMPTION


With an energy consumption of only 108 kWh / year, the LSBU51DB2 service cellar is classified F (energy class). More respectful and above all more economical, it is also extremely quiet with a sound level of only 36 decibels for smarter daily use.



DUAL TEMPERATURE ZONE
Store and refresh all your wines at the correct temperature in the same cellar



INSTALLATION
Both free standing and built-in you can install your cellar at the location of your choice



REVERSIBLE DOOR
Adapt the direction of opening of the door to easily install the cellar in the location of your choice



VINOTAG COMPATIBLE
Free wine cellar management application. Access a virtual representation of your cellar and a detailed inventory

LSBU51DB2

EAN-13 - 3541362209108

Capacity and Temperature

- **Number of bottles: 51**
  - **Upper zone : 16**
  - **Lower zone : 35**
- **Adjustable temperature: 5-20°C**
  - **Upper zone : 5-12°C**
  - **Lower zone : 12-20°C**

Door

Door color : black windows effect
Number of glass layers : 2
Anti-UV : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar

Security

Child lock : No

Technical Data

Energy class : F
Annual energy (KWh/a) : 108
Climate class : SN/ST (10-38)
Noise level : 36dB / C
Energy Efficiancy Index : 125 %
Power input : 100.00 W
Voltage : 220-240 V
Length of power cable : 240 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 25 g
Mainly recyclable product : Yes
Type of compressor : Standard
Main cooling system : Air moving system
Anti-vibration system : Yes
Adjustable feet : 4 / 6.5 cm

Light

Light source : LED
Light color(s) : White
Dimmable light : no
Light switch : yes
Permanent light option : Yes


Logistic

Net dimensions (WxDxH): 59.5 x 57.5 x 82.0
Gross dimensions (WxDxH): 65.5 x 67.5 x 86.5
Net weight (kg) : 42.0
Gross weight (kg) : 46.0

Qtty per 20' : 66
Qtty per 40': 137
Qtty per 40 HC: 159
Customs code: 8418501990

LSBU51DB2

EAN-13 - 3541362209108



Accessories

- 5 shelves, wooden, sliding
- 1 half shelf, wooden
- 1 charcoal filter, (FILTRE4)

Compatible accessories references : FILTRE4

Built-in information

Built-in dimensions (WxDxH) : 60.50 x 57.50 x 82.50
Removable plinth : Yes / 5.50
Warning installation : This product is equiped with a front ventilation system. Follow the installation instructions to ensure proper operation of the unit.